Author Index of Volume 51

Abney, K. D., 165
Albizo, J. M., 277
Alessi, P., 103
Amatore, C., 357
Ang, H. G., 83

Ball, G. R., 165
Banks, R. E., 407
Barbusse, D., 245
Beaudry, W. T., 277
Bell, G. A., 305
Benomar, S. M., 207
Bishop, J. E., 149
Blake, A. J., 305
Blanchard, S. H., 93
Burdon, J., 179

Calas, P., 357
Cambon, A., 141, 155
Chang-Ming Hu, 295
Chkanikov, N. D., 323
Claire, P. P. K., 283
Coe, P. L., 179, 283
Commeyras, A., 357

Dapremont-Avignon, C., 357
Dean, P. A. W., 93
Dieng, S. Y., 155
Dmowski, W., 43, 131
Ducourant, B., 245

Eller, P. G., 165

Fabron, J., 141
Fackler, R., 53
Feng-Ling Qing, 295
Fokin, A. V., 323
Fourcade, R., 245
Fraccaro, C., 103
Fukuhara, T., 299

Garcia, C., 245
Gerdes, J. M., 149
Gould, R. O., 305

Habibi, M. H., 217, 291
Haddach, M., 197
Haywood, L., 419
Hovanec, J. W., 277

Iznaden, M., 1

Jianxun Wen, 75, 229, 433
Jones, C. J., 283

Katrizky, A. R., 33
Khaffaff, S. N., 407
Kolomietz, A. F., 323
Kwik, W. L., 83

Leeper, F. J., 381

McCleverty, J. A., 283
McKee, S., 419
Mader, J., 53, 335
Mallouk, T. E., 291
Manivannan, V., 93
Mathis, C. A., 149
Mei-Jin Chen, 21
Meinert, H., 53, 335
Middleton, W. J., 419
Morrison, E., 83

Nakayama, M., 117
Napoli, M., 103
Normant, J.-F., 223

O'Reilly, N. J., 207

Padma, D. K., 171
Pastor, R., 141, 197
Plenkiewicz, H., 43
Portella, C., 1
Porwisiak, J., 131

Qing-Yun Chen, 21

Rankin, D. W. H., 305
Reuter, P., 53
Riess, J. G., 197
Rock, M., 381
Röhlke, W., 53
Roman, L., 155

Saidi, K., 217
Sampath Kumath, H. P., 171
Sauvêtre, R., 223, 397
Sawada, H., 117
Scipioni, A., 103
Smith, J. A., 179
Srivastava, R. S., 93
Suzuki, A., 299
Szafraniec, L. L., 277
Szönyi, F., 155

Takamora, K., 299
Tatlow, J. C., 179
Tellier, F., 397
Tipping, A. E., 207
Tyutin, V. Y., 323
Tzeng, G. S., 257

Vittal, J. J., 93

Wan, C. C., 257
Ward, J. R., 277
Wei-Qiang Fan, 33

Yadong Zhang, 75, 229, 433
Yanchang Shen, 349
Yao-Ling Qiu, 295
Yoneda, N., 299
Yuejun Xiang, 349

Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume 51

Addition
of 1,2-dibromotetrafluoroethane to alkynes by means of redox system, 295
Alkanes
addition of 1,2-dibromotetrafluoroethane to alkynes by means of redox system, 295
perfluorodimorpholinoalkanes as stabilizing additives in perfluorocarbon-emulsions, 335
synthetic utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxypropane with inorganic anions, thiourea and guanidine, 43
Alkenes
fluorocarbon derivatives of N: synthesis of fluorinated indolizines through reactions of pyridinium ethoxycarbonylmethylide or pyridinium phenacylide with perfluoropropene, perfluorobut-2-yne and 3,3,3,-trifluoropropyne, 407
synthetic utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxypropane with inorganic anions, thiourea and guanidine, 43
unsaturated N compounds containing F: reaction of 2,5-dichloro-1,1,1,6,6,6-hexafluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207
Alkylation
perfluoro-, of 2-mercaptobenzothiazole and its analogues with perfluoroalkyl iodides by $S_{RN}1$ reaction, 21
Alkynes
addition of 1,2-dibromotetrafluoroethane to, by means of redox system, 295
fluorocarbon derivatives of N: synthesis of fluorinated indolizines through reactions of pyridinium ethoxycarbonylmethylide or pyridinium phenacylide with perfluoropropene, perfluorobut-2-yne and 3,3,3-trifluoropropyne, 407
synthesis of asymmetric polyfluoro-diacetylene monomers, 229
synthesis of 1,4-bis(p-aryloxy-tetrafluorophenyl)butadiyne monomers for non-linear optics, 75
synthesis of fluoro-diacetylene monomers: 1,4-bis(2,4,6-triaryloxy-difluorophenyl)butadiynes, 433
Amides
fluoroalkylbenzenes: synthesis of (S)-2,3-dimethoxy-5-[(3-fluoro)propyl-6-hydroxy-N](1-ethyl-2-pyrrolidinyl)methyl benzamide, 149
Amines
amine(polyfluoroalkoxyacyl)imide surfactants, 419
preparation, novel, of polyfluoroalkyl secondary and tertiary amines, 33
synthesis of esters of 3,3-dicyano-2-(trifluoromethyl)acrylic acid and their reactions with arylamines, 323
unsaturated N compounds containing F: reaction of 2,5-dichloro-1,1,1,6,6,6-hexafluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207
Amino acids
synthesis of new F-alkyl amino-acid derivatives of lysine, arginine and cysteine, 197
Aminoaevulinic acid
synthesis of fluorinated analogue of 5-aminoaevulinic acid, potential inhibitor of porphyrin biosynthesis, 381
Aminophenols
preparation of p-fluorophenols from p-aminophenols: diazotization and fluorodediazoniation in pyridine–HF, 299
Anthonomus grandis pheromone
preparation of fluorinated analogues of, 397
Antimony
vapour pressure studies of hydrogen fluoride–antimony pentafluoride system, 165
Aromatic compounds
3,5-bis(trifluoromethyl)pyrazole and some N-substituted derivatives, 283
convenient and high-yield synthesis for pyridinium and metal hexafluoro-complexes of V, Cr, Fe and Co, 171

Elsevier Sequoia/Printed in The Netherlands

fluoroalkylbenzenes: synthesis of (S)-2,3-dimethoxy-5-[(3-fluoro)propyl-6-hydroxy-N](1-ethyl-2-pyrrolidinyl)methyl benzamide, 149
fluorocarbon derivatives of N: synthesis of fluorinated indolizines through reactions of pyridinium ethoxycarbonylmethylide or pyridinium phenacylide with perfluoropropene, perfluorobut-2-yne and 3,3,3-trifluoropropyne, 407
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305
perfluoroalkylation of 2-mercaptobenzothiazole and its analogues with perfluoroalkyl iodides by $S_{RN}1$ reaction, 21
polyhaloaromatics: synthesis of poly- and perfluoro-1,3,5,7-tetrahydrobenzo[1,2-c:4,5-c'] difurans, 131
preparation of p-fluorophenols from p-aminophenols: diazotization and fluorodediazoniation in pyridine–HF, 299
substitution of some fluoroaromatics using $[Pb(EPh)_3]^-$ (E = S or Se) as source of EPh^- nucleophile, 93
synthesis of:
aromatic compounds containing perfluoro-oxa-alkyl groups, 117
1,4-bis(p-aryloxy-tetrafluorophenyl)-butadiyne monomers for nonlinear optics, 75
esters of 3,3-dicyano-2-(trifluoromethyl)acrylic acid and their reactions with arylamines, 323
F-alkyl pyrazolo[1,5-a]pyrimidines, 141
fluoro-diacetylene monomers: 1,4-bis(2,4,6-triaryloxy-difluorophenyl)butadiynes, 433
synthetic, spectroscopic and HPLC studies of some substituted Os clusters containing pentafluorobenzoate ligand, 83
Arginine
and lysine and cysteine; synthesis of new F-alkyl amino-acid derivatives of, 197
Bromine
addition of 1,2-dibromotetrafluoroethane to alkynes by means of redox system, 295
reactions of difluoro and dibromoketenes with silylated ketene acetals, 217
Carboxylic acids
synthesis of perfluoroalkyl carboxylic acids by reaction of perfluoroalkyl iodides with electrogenerated superoxide ion, 357
Chlorine
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305
synthesis of ethylene α-chloro(2-F-alkyl ethyl thio)acetates with a view to obtaining F-alkyl bicaudal surfactant precursors, 155
unsaturated N compounds containing F: reaction of 2,5-dichloro-1,1,1,6,6,6-hexafluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207
Chromium
convenient and high-yield synthesis for pyridinium and metal hexafluorocomplexes of V, Cr, Fe and Co, 171
Clusters
synthetic, spectroscopic and HPLC studies of some substituted Os clusters containing pentafluorobenzoate ligand, 83
Cobalt
convenient and high-yield synthesis for pyridinium and metal hexafluorocomplexes of V, Cr, Fe and Co, 171
Copper
influence of fluoride ion on current efficiency of pulse plating of, 257
Cysteine
and arginine and lysine; synthesis of new F-alkyl amino-acid derivatives of, 197
Decomposition
of phosphonofluoridates on glass, 277

Diazotization
and fluorodediazoniation in pyridine–HF; preparation of p-fluorophenols from p-aminophenols, 299

Electrochemistry
electrochemical fluorination of derivatives of morpholine and piperidine, 53
Electrogenerated superoxide ion
synthesis of perfluoroalkyl carboxylic acids by reaction of perfluoroalkyl iodides with, 357
Electron diffraction
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305
Emulsions
perfluorodimorpholinoalkanes as stabilizing additives in perfluorocarbon-emulsions, 335
Esters
one-pot synthesis, novel, of trifluoromethylated β,γ-unsaturated esters and nitriles, 349
synthesis ot, of 3,3-dicyano-2-(trifluoromethyl)acrylic acid and their reactions with arylamines, 323
synthesis of β-enaminoperfluoroesters, β-imino-α-hydroperfluoroesters and β-amido-α-fluoroesters, 1
synthesis of ethylene α-chloro(2-F-alkyl ethyl thio)acetates with a view to obtaining F-alkyl bicaudal surfactant precursors, 155

Fluorides

Decomposition of phosphonofluoridates on glass, 277
Influence of fluoride ion on current efficiency of pulse plating of Cu, 257
Photochemical selective fluorination of organic molecules using Hg(II) fluoride, 291
Preparation of p-fluorophenols from p-aminophenols: diazotization and fluorodediazoniation in pyridine–HF, 299
Vapour pressure studies of hydrogen fluoride–antimony pentafluoride system, 165

Fluorination

Electrochemical, of derivatives of morpholine and piperidine, 53
Photochemical selective, of organic molecules using Hg(II) fluoride, 291

Fluorine

Unsaturated N compounds containing: reaction of 2,5-dichloro-1,1,1,6,6,6-hexafluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207

Fluoro-compounds

Experimental surface activity measurements of some fluorinated compounds in non-aqueous medium, 103
Fluoroalkylbenzenes: synthesis of (S)-2,3-dimethoxy-5-[(3-fluoro)propyl-6-hydroxy-N](1-ethyl-2-pyrrolidinyl)methyl-benzamide, 149
Fluorocarbon derivatives of N: synthesis of fluorinated indolizines through reactions of pyridinium ethoxycarbonylmethylide or pyridinium phenacylide with perfluoropropene, perfluorobut-2-yne and 3,3,3-trifluoropropyne, 407
Highly fluorinated heterocycles: 2-difluoromethyl- and 2-trifluoromethyl- hexa- and penta-fluoro-oxolans, 179
Instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O\text{-}(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305
Polyhaloaromatics: synthesis of poly- and perfluoro-1,3,5,7-tetrahydrobenzo[1,2-c:4,5-c′] difurans, 131
Preparation of fluorinated analogues of Anthonomus grandis pheromone, 397
Preparation of p-fluorophenols from p-aminophenols: diazotization and fluorodediazoniation in pyridine–HF, 299
Substitution of some fluoroaromatics using $[Pb(EPh)_3]^-$ (E = S or Se) as source of EPh^- nucleophile, 93
Synthesis of:
β-enaminoperfluoroesters, β-imino-α-hydroperfluoroesters and β-amido-α-fluoroesters, 1
ethylene α-chloro(2-F-alkyl ethyl thio)acetates with a view to obtaining F-alkyl bicaudal surfactant precursors, 155

F-alkyl amino-acid derivatives, new, of lysine, arginine and cysteine, 197
F-alkyl pyrazolo[1,5-a]pyrimidines, 141
fluorinated analogue of 5-aminoaevulinic acid, potential inhibitor of porphyrin biosynthesis, 381
fluoro-diacetylene monomers: 1,4-bis(2,4,6-triaryloxy-difluoro-phenyl)butadiynes, 433

di-

Reactions of difluoro and dibromoketenes with silylated ketene acetals, 217

tri-

3,5-Bis(trifluoromethyl)pyrazole and some N-substituted derivatives, 283
One-pot synthesis, novel, of trifluoromethylated β,γ-unsaturated esters and nitriles, 349
Synthesis of esters of 3,3-dicyano-2-(trifluoromethyl)acrylic acid and their reactions with arylamines, 323

tetra-

Addition of 1,2-dibromotetrafluoroethane to alkynes by means of redox system, 295
Synthesis of 1,4-bis(p-aryloxy-tetrafluoro-phenyl)butadiyne monomers for non-linear optics, 75

penta-

Synthetic, spectroscopic and HPLC studies of some substituted Os clusters containing pentafluorobenzoate ligand, 83

hexa-

Convenient and high-yield synthesis for pyridinium and metal hexafluoro-complexes of V, Cr, Fe and Co, 171
Unsaturated N compounds containing F: reaction of 2,5-dichloro-1,1,1,6,6,6-hexa-fluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207

octa-

Synthesis and structural study of dihydrazinium octafluorostannate(IV): $(N_2H_6)_2$-SnF_6F_2, 245

poly-

Amine(polyfluoroalkoxyacyl)imide surfactants, 419
Preparation, novel, of polyfluoroalkyl secondary and tertiary amines, 33
Synthesis of asymmetric polyfluoro-diacetylene monomers, 229

per-

Perfluoroalkylation of 2-mercaptobenzothiazole and its analogues with perfluoroalkyl iodides by $S_{RN}1$ reaction, 21
Perfluorodimorpholinoalkanes as stabilizing additives in perfluorocarbon-emulsions, 335
Synthesis of aromatic compounds containing perfluoro-oxa-alkyl groups, 117
Synthesis of perfluoroalkyl carboxylic acids by reaction of perfluoroalkyl iodides with electrogenerated superoxide ion, 357
Synthetic utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxy-propane with inorganic anions, thiourea and guanidine, 43

Furans
polyhaloaromatics: synthesis of poly- and perfluoro-1,3,5,7-tetrahydrobenzo[1,2-c:4,5-c'] difurans, 131

Glass
decomposition of phosphonofluoridates on, 277
Guanidine
synthetic utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxypropane with inorganic anions, thiourea and guanidine, 43

Halo-compounds
polyhaloaromatics: synthesis of poly- and perfluoro-1,3,5,7-tetrahydrobenzo[1,2-c:4,5-c'] difurans, 131
preparation of perhaloacrylic derivatives, 223
Heterocycles
highly fluorinated: 2-difluoromethyl- and 2-trifluoromethyl- hexa- and penta-fluoro-oxolans, 179
HPLC studies
and synthetic and spectroscopic studies of some substituted Os clusters con-

taining pentafluorobenzoate ligand, 83

Iodine
perfluoroalkylation of 2-mercaptobenzothiazole and its analogues with perfluoroalkyl iodides by $S_{RN}1$ reaction, 21
synthesis of perfluoroalkyl carboxylic acids by reaction of perfluoroalkyl iodides with electrogenerated superoxide ion, 357
Iron
convenient and high-yield synthesis for pyridinium and metal hexafluorocomplexes of V, Cr, Fe and Co, 171

Ketene acetals
silylated; reactions of difluoro and dibromoketenes with, 217

Lead
substitution of some fluoroaromatics using $[Pb(EPh)_3]^-$ (E=S or Se) as source of EPh^- nucleophile, 93
Lysine
and arginine and cysteine; synthesis of new F-alkyl amino-acid derivatives of, 197

Mercury
photochemical selective fluorination of organic molecules using Hg(II) fluoride, 291
Monomers
synthesis of asymmetric polyfluoro-diacetylene monomers, 229
synthesis of 1,4-bis(p-aryloxy-tetrafluorophenyl)butadiyne monomers for nonlinear optics, 75
synthesis of fluoro-diacetylene monomers: 1,4-bis(2,4,6-triaryloxy-difluorophenyl)butadiynes, 433
Morpholine
and piperidine; electrochemical fluorination of derivatives of, 53

Nitrogen
3,5-bis(trifluoromethyl)pyrazole and some N-substituted derivatives, 283
fluorocarbon derivatives of N: synthesis of fluorinated indolizines through reactions of pyridinium ethoxycarbonylmethylide or pyridinium phenacylide with perfluoropropene, perfluorobut-2-yne and 3,3,3-trifluoropropyne, 407
one-pot synthesis, novel, of trifluoromethylated β,γ-unsaturated esters and nitriles, 349
unsaturated N compounds containing F: reaction of 2,5-dichloro-1,1,1,6,6,6-hexafluoro-3,4-diazahexa-2,4-diene with triethylamine and related reactions, 207

Optics
nonlinear; synthesis of 1,4-bis(p-aryloxy-tetrafluorophenyl)butadiyne monomers for, 75
Osmium
synthetic, spectroscopic and HPLC studies of some substituted Os clusters containing pentafluorobenzoate ligand, 83

Pheromone
preparation of fluorinated analogues of Anthonomus grandis pheromone, 397
Phosphonofluoridates
decomposition of, on glass, 277
Photochemistry
photochemical selective fluorination of organic molecules using Hg(II) fluoride, 291
Piperidine
and morpholine; electrochemical fluorination of derivatives of, 53
Porphyrin biosynthesis
synthesis of fluorinated analogue of 5-aminoaevulinic acid, potential inhibitor of, 381
Pulse plating
influence of fluoride ion on current efficiency of, of Cu, 257

Ruthenium
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n Y(PF_2)]$ (Y=O, S; n=3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305

Selenium
substitution of some fluoroaromatics using $[Pb(EPh)_3]^-$ (E=S or Se) as source of EPh^- nucleophile, 93

Silylated ketene acetals
reactions of difluoro and dibromoketenes with, 217
Spectroscopy
synthetic, spectroscopic and HPLC studies of some substituted Os clusters containing pentafluorobenzoate ligand, 83
Structural study
and synthesis of dihydrazinium octafluorostannate(IV): $(N_2H_6)_2SnF_6F_2$, 245
Sulphur
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305
perfluoroalkylation of 2-mercaptobenzothiazole and its analogues with perfluoroalkyl iodides by $S_{RN}1$ reaction, 21
substitution of some fluoroaromatics using $[Pb(EPh)_3]^-$ (E = S or Se) as source of EPh^- nucleophile, 93
synthesis of ethylene α-chloro(2-F-alkyl ethyl thio)acetates with a view to obtaining F-alkyl bicaudal surfactant precursors, 155
synthetic utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxypropane with inorganic anions, thiourea and guanidine, 43
Surface activity measurements
experimental, of some fluorinated compounds in non-aqueous medium, 103
Surfactants
amine(polyfluoroalkoxyacyl)imide surfactants, 419
synthesis of ethylene α-chloro(2-F-alkyl-ethyl thio)acetates with a view to obtaining F-alkyl bicaudal surfactant precursors, 155

Thiourea
synthesis utility of 3-(perfluoro-1,1-dimethylbutyl)-1-propene: reactions of 3-(perfluoro-1,1-dimethylbutyl)-1,2-epoxypropane with inorganic anions, thiourea and guanidine, 43
Tin
synthesis and structural study of dihydrazinium octafluorostannate(IV): $(N_2H_6)_2SnF_6F_2$, 245

Vanadium
convenient and high-yield synthesis for pyridinium and metal hexafluorocomplexes of V, Cr, Fe and Co, 171
Vapour pressure studies
of hydrogen fluoride–antimony pentafluoride system, 165

X-ray crystallography
instant ligands: structures of gaseous $(F_2P)S(CH_2)_3S(PF_2)$ and $(F_2P)SEt$ by electron diffraction; preparation of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)Y(CH_2)_n\text{-}Y(PF_2)]$ (Y = O, S; n = 3–6) and structure of $[RuCl_2(p\text{-cymene})]_2[\mu\text{-}(F_2P)O(CH_2)_4O(PF_2)]$ by X-ray crystallography, 305